1-22-04

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.:

Chaikof et al.

Group: Unassigned

Serial No.

10/720.025

Examiner: Unassigned

Filed: November 21, 2003

<del>-----</del>

For: PLAS

PLASTIC AND ELASTIC PROTEIN

**COPOLYMERS** 

CERTIFICATE OF MAILING
I hereby certify that this correspondence is being deposited with
the United States Postal Service with sufficient postage as
Express Mail addressed to: Commissioner of Patents, P.O.
Box 1450, Alexandria, VA 22313-1450, Express Mail Nos. EV
412171895 US (Box 1) and EV412171900 US (Box 2).

Date

Linda S. Davis

### INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

The Examiner is respectfully requested to consider the references, copies enclosed, which may qualify as prior art. For the Examiner's convenience, the references are listed on the attached U.S. Patent and Trademark Office form PTO-1449.

The Examiner's attention is also drawn to the following commonly-owned, unpublished patent applications which may be considered to contain relevant subject matter. Copies of these applications are included.

Table of commonly owned applications.

| Item | Document Number (Application Serial No.) | Filing Date | Name           | Attorney<br>Docket No. | Corresponding reference*          |
|------|--|-------------|----------------|------------------------|-----------------------------------|
|      | 10/257,805                               | 04/13/02    | Chaikof et al. | 30-01                  | PCT/US01/12094<br>WO 01/78800 A1  |
| 2    | 10/258,207                               | 10/18/02    | Chaikof et al. | 29-01                  | PCT/US01/12918<br>WO 01/80921 A2  |
| 3    | 10/343,408                               | 07/22/03    | Chaikof et al. | 78-01                  | PCT/US01/24020<br>WO 02/09647 A2  |
| 4    | 10/451,011                               | 06/19/03    | Chaikof et al. | 1-02                   | PCT/US02/01030<br>WO 02/055021 A2 |
| 5    | 10/452,997                               | 06/02/03    | Chaikof et al. | 61-01B                 | WO 02/033021 AZ                   |
| 6    | 10/720,025                               | 11/21/03    | Chaikof et al. | 133-02                 |                                   |

\*A copy of the corresponding reference is provided and listed in the Form 1449.

Where a publication month of a reference is not listed, the year of publication is believed to be sufficiently earlier than the effective U.S. filing date so that the particular month of publication is not an issue.

This information is cited in a spirit of forthrightness and cooperation to enable the applicants to obtain that measure of protection for the invention to which there is entitlement. However, no representation is made that the listed art actually qualifies as prior art under the patent statute and the mere use of PTO-1449 is not an admission that all listed references are prior art. No representation is made that applicants know of the best art.

It is believed this submission does not require the payment of any fee as it is being submitted prior to the issuance of an Office Action on the merits of the application. If this is incorrect, please charge any deficiency or credit any overpayment to deposit account no. 07-1969.

Respectfully submitted,

Steven J. Penner Reg. No. 54,371


GREENLEE, WINNER and SULLIVAN, P.C. 5370 Manhattan Circle, Suite 201 Boulder, CO 80303 Phone (303) 499-8080 Fax (303) 499-8089 SJP:lsd 01/21/04 Docket 133-02

> The references are supplied in two boxes, Box 1 and Box 2. Box 1 is the large box with references listed on

Box 2 is the small box with references listed on Form

1449 from Winger to the end, plus unpublished patent a. Serial No. 10/452,997 (Attorney docket 61-01B)

b. Serial No. 10/720,025 (Attorney docket 133-02)



| U.S. | PAT | ENT | DOCL | <b>JMENTS</b> |
|------|-----|-----|------|---------------|
|------|-----|-----|------|---------------|

| Exmr.<br>Initial | Document<br>Number | Date     | Name            | Class | Subclass | Filing Date if<br>Appropriate |
|------------------|--------------------|----------|-----------------|-------|----------|-------------------------------|
|                  | 6,583,251          | 06/24/03 | Chaikof et al.  | 526   | 277      | proprieto                     |
|                  | 6,171,614          | 01/09/01 | Chaikof et al.  | 424   | 450      |                               |
|                  | 6,071,532          | 06/06/00 | Chaikof et al.  | 424   | 450      |                               |
|                  | 5,911,942          | 06/15/99 | Fofonoff et al. | 264   | 444      |                               |
|                  | 5,755,788          | 05/26/98 | Strauss         | 623   | 11       |                               |
|                  | 5,741,325          | 04/21/98 | Chaikof et al.  | 623   | 1        |                               |
| -                | 5,556,632          | 09/17/96 | Kohler et al.   | 424   | 423      |                               |
|                  | 5,429,618          | 07/04/95 | Keogh           | 604   | 266      |                               |
|                  | 5,417,969          | 05/23/95 | Hsu et al.      | 424   | 78       |                               |
|                  | 5,399,331          | 03/21/95 | Loughrey et al. | 424   | 450      |                               |
|                  | 5,288,517          | 02/22/94 | Kanno et al.    | 427   | 244      |                               |
|                  | 5,071,532          | 12/10/91 | Taillet et al.  | 204   | 228      |                               |
|                  | 4,906,465          | 03/06/90 | Chaikof et al.  | 424   | 78       |                               |
|                  | 4,880,883          | 11/14/89 | Grasel et al.   | 535   | 454      |                               |
|                  | 4,560,599          | 12/24/85 | Regen           | 428   | 36       |                               |
|                  | 4,522,803          | 06/11/85 | Lenk et al.     | 424   | 1.1      |                               |
|                  | 4,485,045          | 11/27/84 | Regen           | 260   | 403      |                               |

## FOREIGN PATENT DOCUMENTS


|      | Document<br>Number              | Date     | Country | Class | Subclass | Translation<br>Yes/No |
|------|---------------------------------|----------|---------|-------|----------|-----------------------|
|      | WO 01/80921<br>(PCT/US01/12918) | 20.04.01 | PCT     | A61L  | 31/00    |                       |
| -2.2 | WO 00/00239                     | 06.01.00 | PCT     | A61L  | 33/00    |                       |
|      | WO 98/16198                     | 23.04.98 | PCT     | A61K  | 9/127    |                       |
|      | WO 96/21469                     | 18.07.96 | PCT     | A61K  | 47/48    |                       |

| - 1AU                  |                       |   |
|------------------------|-----------------------|---|
| Form PTO 1449          | BASEALTHE             | Greenlee, Winner and Sullivan, P.C., 01/21/04 |
| ATTY DOCKET NO. 133-02 | SERIAL NO. 10/720,025 | FILING DATE 21 November 2003                  |
| APPLICANT Chaikof      |                       | GROUP   |


| WO 01/78800<br>(PCT/US01/12094)  | 13.04.01 | PCT | A61L | 33/00 |
|----------------------------------|----------|-----|------|-------|
| WO 02/09647<br>(PCT/US01/24020)  | 30.07.01 | PCT | A61K |       |
| WO 02/055021<br>(PCT/US02/01030) | 14.01.02 | PCT | A61K |       |

OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

| <br>HER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)   |
|--|
| Akagawa, M. and Suyama, K., "Mechanism of formation of elastin crosslinks," (2000) Connect. Tissue Res. 41(2):131-141  |
| Akita, K. et al., "Effect of FK506 and anti-CD4 therapy on fetal pig pancreas xenografts and host lymphoid cells in NOD/Lt, CBA, and BALB/c mice, (1994) Cell Transplantation 3(1):61-73                               |
| Anderson et al., "Bioactive silk-like protein polymer films on silicon devices," Alper, M., Bayby, H., Kaplan, D. and Navia, M., ed.; <i>Materials Research Society Symp Proc.</i> : Pittsburgh, PA; 1994, 330:171-177 |
| Andree, H.A.M. et al., "Transport rate limited catalysis on macroscopic surfaces: the activation of factor X in a continuous flow enzyme reactor," (1994)<br>Biochemistry 33(14):4368-4374                             |
| Aoi, K. et al., "Glycopeptide synthesis by an α-amino acid N-carboxyanhydride (NCA) method: ring-opening polymerization of a sugar-substituted NCA," (1994) Macromolecules 27:875-877                                  |
| Aoi, K. et al., "Architectural control of sugar-containing polymers by living polymerization: ring-opening polymerization of 2-oxazolines initiated with carbohydrate derivatives," (1992) Macromolecules 25:7073-7075 |
| Arnander, C. and Olsson, P., "Influence of blood flow and the effect of protamine on the thromboresistant properties of a covalently bonded heparin surface," (1988) J. Biomed. Mater. Res. 22(10):859-868             |
| Balachander, N. and Sukenik, C.N., "Monolayer transformation by nucleophilic substitution: applications to the creation of new monolayer assemblies," (1990) Langmuir 6(11):1621-1627                                  |
| Basmadjian, D. et al., "Coagulation on biomaterials in flowing blood: some theoretical considerations," (1997) <i>Biomaterials</i> 17(23):1511-1522  |
| Basmadjian, D. and Sefton, M.V., "Relationship between release rate and surface concentration for heparinized materials," (1983) <i>Journal of Biomedical Materials Research</i> 17(3):509-518                         |




| Beyer, D. et al., "Covalently attached polymer mono- and multilayers on silanized glass substrates," (1996) <i>Thin Solid Films</i> 285:825-828   |
|---|
| Bierbaum, K. et al., "A near edge X-ray absorption fine structure spectroscopy and X-ray photoelectron spectroscopy study of the film properties of self-assembled monolayers of organosilanes on oxidized Si(100)," (1995) Langmuir 11:512-518 |
| Biessen, E.A.L. et al., "Synthesis of cluster galactosides with high affinity for the hepatic asialoglycoprotein receptor," (1995) <i>J. Med. Chem.</i> 38:1538-1546  |
| Billy, D. et al., "Prothrombin activation by prothrombinase in a tubular flow reactor," (1995) J. Biol. Chem. 270(3):1029-1034  |
| Biro, S. et al., "Expression and subcellular distribution of basic fibroblast growth factor are regulated during migration of endothelial cells," (1994) Circ. Res. 74:485-494  |
| Bitomsky, W. and Wade, R.C., "Docking of glycosaminoglycans to heparinbinding proteins: validation for aFGF, bFGF, and antithrombin and application to IL-8," (1999) <i>J. Am. Chem. Soc.</i> 121:3004-3103                                     |
| Björquist, P. et al., "Determination of the inetic constants of tissue factor/factor VII/factor VIIA and antithrombin/heparin using surface plasmon resonance," (1997) Thromb. Res. 85(3):225-236   |
| Blezer, R. et al., "Initiation and propagation of blood coagulation at artificial surfaces studied in a capillary flow reactor," (1998) <i>Thromb. Haemostasis</i> 79(2):296-301  |
| Blezer, R. et al., "Activation of blood coagulation at heparin-coated surfaces," (1997) J. Biomedical Materials Research 37(1):108-113  |
| Bon, S.A.F. and Haddleton, D.M., "Amphiphilic copolymers by atom transfer polymerization with carbohydrate-based initiators and monomers," (1999) <i>Polym. Prepr.</i> (Am. Chem. Soc., Div. Polym. Chem.) 40(2):248-249                        |
| Bourin, M.C. and Lindahl, U., "Glycosaminoglycans and the regulation of blood coagulation," (1993) <i>Biochemical J.</i> 289(Pt2):313-330   |
| Brittain, H.A. et al., "Sickle erythrocyte adherence to large vessel and microvascular endothelium under physiologic flow is qualitatively different," (1992) J. Lab. Clin. Med. 112:538-545  |
| Broch, H. et al., "Quantum molecular modeling of the elastinic tetrapeptide Val-<br>Pro-Gly-Gly," (1998) <i>J. Biomol. Struct. &amp; Dyn.</i> 15: 1073-1091   |
| Brown, D.F.M., "Treatment options for deep venous thrombosis," (Nov. 2001)  Emergency Medicine Clinics of North America 19(4):913-923   |




|       | Brummel, .E. et al., "An integrated study of fibrinogen during blood coagulation, (1999) J. Biol. Chem. 274(32):23863-23870  |
|-------|--|
| 1 1   | (1999) J. Biol. Chem. 274(32):22862-22870  |
|       | Buller, C.E. et al., "Primary stenting versus balloon angioplasty in occluded coronary arteries," (1999) Circulation 100(3):236-242  |
|       | Byun, Y. et al., "Binding of antithrombin III and thrombin to immobilized heparin under flow conditions," (1996) Biotechnology Progress 12(2):217-225                                      |
|       | Byun, Y. et al., "Mechanism of thrombin inactivation by immobilized heparin," (1996) J. Biomed. Mater. Res. 30:423-427   |
|       | Cai, W.Z. et al., "A solid-state n.m.r. study of microphase structure and segmental dynamics of poly(styrene-b-methylphenylsiloxane) diblock copolymers," (1993) <i>Polymer</i> 34:267-276 |
|       | Campbell, E.J. et al., "Biocompatible surfaces using methacryloylphosphorylcholine laurylmethacrylate copolymer," (1994) ASAIO J. 40(3):M853-M857  |
|       | Calistri-Yeh, M. et al., "Thermal stability of self-assembled monolayers from alkylchlorosilanes," (1996) Langmuir 12:2747   |
|       | Cao, Q. et al., "Sequence of abductin, the molluscan 'rubber' protein," (1997)<br>Curr. Biol. 7:R677-678   |
|       | Chaikof, E.L., "Biomaterials that imitate cell microenvironments," (1996)<br>Chemtech. 26:17-24  |
| ١,    | Chaikof, E.L. et al., "PEO enhancement of platelet deposition, fibrinogen deposition, and complement C3 activation," (1992) <i>J. Biomed. Mater. Res.</i> 26:1163-1168                     |
| , ,   | Chang, D.K. et al., "Nuclear overhauser effect and computational characterization of the β-spiral of the polypentapeptide of elastin," (1989) <i>J. Biomol. Struct. Dyn.</i> 6(5):851-858  |
|       | Chang, D.K. and Urry, D.W., "Molecular dynamics calculations on relaxed and extended states of the polypentapeptide of elastin," (1988) <i>Chem. Phys. Lett.</i> 47:395-400                |
| <br>C | Chapman, D., "Biomembranes and new hemocompatible materials," (1993)<br>angmuir 9:39-45  |
| <br>C | then, C. et al., "Phosphorylcholine coating of ePTFE grafts reduces neointimal yperplasia in canine model," (1997) <i>Ann. Vasc. Surg.</i> 11(1):74-79                                     |
| C     | then, T-M et al., "Studies on the synthesis and properties of novel phospholipid nalogous polymers," (1996) <i>J. Appl. Polym. Sci.</i> 60:455-464   |

| JAN                    |                       | ·   |
|------------------------|-----------------------|---|
| Form PTO 1449          | RADEALTE              | Greenlee, Winner and Sullivan, P.C., 01/21/04 |
| ATTY DOCKET NO. 133-02 | SERIAL NO. 10/720,025 | FILING DATE 21 November 2003                  |
| APPLICANT Chaikof      |                       | GROUP   |


| Cheung, J. H. et al., "Molecular self-assembly of conducting polymers," (1994) <i>Thin Solid Films</i> 244:985-989   |
|--|
| Chon, J.H. et al., "Cytomimetic biomaterials. 3. Preparation and transport studies of an alginate/amphiphilic copolymer/polymerized phospholipid film," (1999) J. Biomater. Sci. Polymer. Ed. 10:95-107                            |
| Chon, J.H. et al., "α4β1 and α5β1 control cell migration on fibronectin by differentially regulating cell speed and motile cell phenotype," (1998) <i>Ann. Biomed. Eng.</i> 26:1091-1101   |
| Chon, J.H. et al., "Role of fibronectin and sulfated proteoglycans in endothelial cell migration on a cultured smooth muscle layer," (1997) J. Surg. Res. 72:53-59.  |
| Christianson, S. et al., "Adoptive transfer of diabetes into immunodeficient NOD-scid/scid mice: relative contributions of CD4* and CD8* T-cells from diabetic versus prediabetic NOD.NON-Thy-1° donors," (1993) Diabetes 42:44-55 |
| Cima, L.G. and Lopina, S.T., "Network structures of radiation-cross-linked star polymer gels," (1995) <i>Macromolecules</i> 28:6787-6794   |
| Clowes, AW et al., "Mechanisms of arterial graft failure. II. Chronic endothelial and smooth muscle cell proliferation in healing polytetrafluoroethylene prostheses," (1986) <i>J. Vasc. Surg.</i> 3:877-884.                     |
| Clowes, A.W. et al., "Mechanism of arterial graft failure. 1. Role of cellular proliferation in early healing of PTFE prostheses," (1985) <i>Am. J. Pathol.</i> 118(1]:43-54.  |
| Clowes, A.W. and Karnovsky, M.J., "Suppression by heparin of smooth muscle cell proliferation in injured arteries," (1977) <i>Nature</i> 625-626   |
| Colton, C.K., "The engineering of xenogeneic islet transplantation by immunoisolation," (1992) <i>Diab. Nutr. Metabol.</i> 5:145-149   |
| Colton, C. and Avgoustiniatos, E. "Bioengineering in the development of the hybrid artificial pancreas I" (1991) Biochem. Eng. 113:152-70  |
| Contino, P.B. et al., "Use of an oriented transmembrane protein to probe the assembly of a supported phospholipid bilayer," (1994) <i>Biophys. J.</i> 67:1113-1116   |
| Crooks, C.A., et al., "Microencapsulation of mammalian cells in a HEMA-MMA copolymer: effects on capsule morphology and permeability,"(1990) <i>J. Biomed. Mater. Res.</i> 24: 1241-1262   |




|       | Cruise, G.M. et al., "A sensitivity study of the key parameters in the interfacial photopolymerization of poly(ethylene glycol) diacrylate upon porcine islets," (1998) <i>Biotechnol. Bioeng.</i> 57: 655-65 |
|-------|---|
|       | Daugherty, D. L. and Gellman, S. H., "A fluorescence assay for leucine zipper dimerization: avoiding unintended consequences of fluorophore attachment," (1999) J. Am. Chem. Soc. 121:4325-4333               |
|       | Dautzenberg, H. et al., Polyelectrolyte complex formation at the interface of solutions," (1996), <i>Polym. Sci.</i> 101:149-156  |
|       | Debelle, L. and Tamburro, A.M., "Elastin: molecular description and function," (1999) Internat. J. Biochem. & Cell Biol. 31:261-272   |
|       | Decher, G., "Fuzzy nanoassemblies: toward layered polymeric multicomposites," (1997) Science 277:1232-1237  |
|       | Defrees, S.A. et al., "Sialyl lewis x liposomes as a multivalent ligand and inhibitor of E-selectin mediated cellular adhesion," (1996) <i>J. Am. Chem. Soc.</i> 118:6101-6104                                |
|       | Deming, T. J., "Mussel byssus and biomolecular materials," (1999) Curr. Opin. Chem. Biol. 3: 100-5  |
|       | Dixon, W. T., "Spinning-sideband-free and spinning-sideband-only NMR spectra in spinning samples," (1982) J. Chem. Phys. 77:1800-1809   |
|       | Dixon, W.T., "Total suppression of sidebands in CPMAS C-13 NMR," (1982) <i>J. Magn. Reson.</i> 49:341-345   |
| 1 1 1 | Dluhy, R.A., "Quantitative external reflection infrared spectroscopic analysis of insoluble monolayers spread at the air-water interface," (1986) <i>J. Phys. Chem.</i> 90:1373-1379                          |
|       | Dodson, G.G. et al., "molecular recognition in insulin assembly," (1993)<br>Biochem. Soc. Trans. 21:609-614   |
|       | Doshi, J. and Reneker, D.H., "Electrospinning process and applications of electrospun fibers," (1995) J. Electrostatics 35: 151-160   |
|       | Eaton, D. F., "Dye sensitized photo polymerization," (1986) Advances in Photochemistry 13:427-487   |
|       | Egger, N. et al., "Solid state NM investigation of cationic polymerized epoxy resins," (1992) J. Appl. Poly. Sci. 44:289-295  |
| E     | Einaga, Y. et al., "Photofunctional vesicles containing Prussian blue and azobenzene," (1999) <i>J. Am. Chem. Soc.</i> 121:3745-3750  |




| Eitzman, D.T. et al., "Heparin neutralization by platelet-rich thrombi," (1994)<br>Circulation 89(4):1523-1529  |
|---|
| Ejaz, M. et al. (2000) Macromolecules 33:2870   |
| Elbert, D. L. et al., "Thin polymer layers formed by polyelectrolyte multilayer techniques on biological surfaces," (1999) <i>Langmuir</i> 15:5355-5362   |
| Elender, G. et al., "Functionalisation of Si/SiO <sub>2</sub> and glass surfaces with ultrathin dextran films and deposition of lipid bilayers," (1996) E. Biosensors Bioelectronics 11:565-577 |
| Elliott, J. T. and Prestwich, G. D., "Maleimide-functionalized lipids that anchor polypeptides to lipid bilayers and membranes," (2000) <i>Bioconjugate Chem</i> . 11:832-841                   |
| Esmon, C.T. et al., "Regulation and functions of the protein C anticoagulant pathway," (1999) <i>Haematologica</i> 84(4):363-368  |
| Esmon, C.T. et al., "The protein C pathway: new insights," (1997) Thromb.<br>Haemostasis 78(1):70-74  |
| Esmon, C.T., "Thrombomodulin as a model of molecular mechanisms that modulate protease specificity and function at the vessel surface," (1995)<br>FASEB Journal 9(10):946-955                   |
| Esmon, C.T. and Owen, W.G., "Identification of an endothelial cell cofactor for thrombin-catalyzed activation of protein C," (1981) <i>Proc. Natl. Acad. Sci. USA</i> 78(4):2249-2252           |
| Esmon, N.L. et al., "Proteolytic formation and properties of γ-carboxyglutamic acid-domainless protein C," (1983) <i>J. Biol. Chem.</i> 258:(9):5548-5553                                       |
| Esmon, N.L. et al., "Thrombomodulin blocks the ability of thrombin to activate platelets," (1983) <i>J. Biol. Chem.</i> 258(20):12238-12242   |
| Esmon, N.L. et al., "Isolation of a membrane-bound cofactor for thrombin-<br>catalyzed activation of protein C," (1982) <i>J. Biol. Chem.</i> 257(2):859-864                                    |
| España, F. et al., "In vivo and in vitro complexes of activated protein C with two inhibitors in baboons," (1991) <i>Blood</i> 77(8):1754-1760  |
| Faham, S. et al. "Heparin structure and interactions with basic fibroblast growth factor," (1996) <i>Science</i> 271:1116-1120  |
| Feingold, H.M. et al., "Coagulation assays and platelet aggregation patterns in human, baboon, and canine blood," (1986) Am. J. Vet. Res. 47:2197-2199  |




| Feng I and Chaikof E I "Boonseit title   |
|--|
| Feng, J. and Chaikof, E.L., "Reconstitution of thrombomodulin into polymerizable phospholipid vesicles," (2000) <i>Polymer Preprints</i> 41(2):1653-1654                                     |
| Flitsch, S.L., "Chemical and enzymatic synthesis of glycopolymers," (Dec. 2000 Current Opinion in Chem. Biol. 4(6):619-625   |
| Florin, E.L. and Gaub, H.E., "Painted supported lipid membranes," (1993)  Biophys J. 64:375-383  |
| Fong, H. et al., "Beaded nanofibers formed during electrospinning," (1999)  Polymer 40: 4585-4592  |
| Foster, J.A. et al., "Isolation and amino acid sequences of tropoelastin peptides," (1973) J. Biol. Chem. 24:2876-2879   |
| Frank, M. and Ries, L.F., "The role of complement in inflammation and phagocytosis," (1991) <i>Immunol. Today</i> 12:322-326   |
| Franzblau, C. et al., "Role of crosslinking in fiber formation," (1977) Adv. Exp. Med. Biol. 79:313-327  |
| Galvin, J.B. et al., "Reconstitution of rabbit thrombomodulin into phospholipid vesicles," (1987) <i>J. Biol. Chem.</i> 262(5):2199-2205   |
| Gemmell, C.H. et al., "The effects of shear rate on the enzymatic activity of the tissue factor-factor VIIa complex," (1990) Microvasc. Res. 40(30):327-340                                  |
| Gemmell, C.H. et al., "Utilization of a continuous flow reactor to study the lipoprotein-associated coagulation inhibitor (LACI) that inhibits tissue factor," (1990) Blood 76(11):2266-2271 |
| Gentry, R. et al., "Surface-mediated enzymatic reactions: simulations of tissue factor activation of factor X on a lipid surface," (1995) <i>Biophys. J.</i> 69(2):362-371                   |
| Gerling, I. et al., "Multiple low-dose streptozocin-induced diabetes in NOD-<br>scid/scid mice in the absence of functional lymphocytes," (1994) Diabetes<br>43:433-440                      |
| Gill, R.G. et al., "CD4* T cells are both necessary and sufficient for islet xenograft rejection," (1994)," <i>Transplantation Proceedings</i> 26:1203                                       |
| Gir, S. et al., "A numerical analysis of factor X activation in the presence of tissue factor-factor VIIa complex in a flow reactor," (1996) <i>Ann. Biomed. Eng.</i> 24(3):394-399          |
| Gnanou, Y et al., "Synthesis of star-shaped poly(ethylene oxide)," (1998)  Makromol. Chem. 189:2885-2892   |




|  | Goeden-Wood, N.L. et al., "Improved assembly of multimeric genes for the biosynthetic production of protein polymers," (Jul-Aug 2002) <i>Biomacromolecules</i> . 3(4):874-879   |
|--|---|
|  | Golden, M.A., "Healing of polytetrafluoroethylene arterial grafts is influenced by graft porosity," (1990) <i>J. Vascular Surgery</i> 11(6):838-844   |
|  | Goldsmith, H.L. and Turitto, V.T., "Rheological aspects of thrombosis and haemostasis: basic principles and applications," (1986) <i>Thromb. Haemostasis</i> 55(3):415-435  |
|  | Goosen, M.F.A. (1985), "Optimization of microencapsulation parameters: semipermeable microcapsules as a bioartificial pancreas, <i>Biotech. Bioeng.</i> 27:146-150  |
|  | Goosen, M.F.A. et al., "Inactivation of thrombin by antithrombin III on a heparinized biomaterial," (1980) <i>Thrombosis Research</i> 20(5/6):543-554   |
|  | Grande, D. et al., "Glycosaminoglycan mimetic biomaterials. 2. Alkene- and acrylate-derivatized glycopolymers via cyanoxyl-mediated free-radical polymerization," (2001) <i>Macromolecules</i> 34:1640-1646 (tentatively published on Web 02/13/01) |
|  | Grande, D. et al., "Glycosaminoglycan mimetic biomaterials. 1. Nonsulfated and sulfated glycopolymers by cyanoxyl-mediated free-radical polymerization," (2000) <i>Macromolecules</i> 33:1123-1125  |
|  | Grande, D. et al., "Synthesis of non-sulfated and sulfated glycopolymers," (2000) Polymer Preprints 41(1):1000-1001   |
|  | Gray, W.R. et al., "Molecular model for elastin structure and function," (1973)  Nature 246:461-466   |
|  | Gruber, A. et al., "Antithrombotic effects of combining activated protein C and urokinase in nonhuman primates," (1991) Circulation 84(6):2454-2462   |
|  | Gruber, A et al., "Inhibition of thrombus formation by activated recombinant protein C in a primate model of arterial thrombosis," (1990) Circulation 82(2):578-585   |
|  | Gruber, A. et al., "Inhibition of platelet-dependent thrombus formation by human activated protein C in a primate model," (1989) <i>Blood</i> 73(3):639-742   |
|  | Hall et al., "Factor Xa generation at the surface of cultured rat vascular smooth muscle cells in an <i>in vitro</i> flow system," (1998) <i>J. Biomech. Eng.</i> 120(4):484-490  |
|  | Hall, B. et al., "Biomembranes as models for polymer surfaces," (1989)  Biomaterials 10(4):219-224  |




| Halle I., et al. (1993) "Protection of islets of Langerhans from antibodies by microencapsulation with alginate-poly-L-lysine membranes," <i>Transplantation</i> , 44:350-4  Hanson, S.R. et al., "Blood flow and antithrombotic drug effects," (1998) <i>Am. Heart Journal</i> 135(5 Pt 2 Su):S132-145  Hanson, S.R. et al., "Antithrombotic effects of thrombin-induced activation of endogenous protein C in primates," (1993) <i>J. Clin. Invest.</i> 92(4):2003-2012  Hanson, S.R. et al., "Effects of angiotensin converting enzyme inhibition with cilazapril on intimal hyperplasia in injured arteries and vascular grafts in the baboon," (1991) <i>Hypertension</i> 18(4Suppl):II-70-II-76  Hanson, S.R. et al., "Platelet interactions with Dacron vascular grafts; a model of acute thrombosis in baboons," (1985) <i>Arteriosclerosis</i> 5(6):595-603  Harker, L.A. et al., "Effects of megakaryocyte growth and development factor on platelet production, platelet life span, and platelet function in healthy human volunteers," (April 2000) <i>Blood</i> 95(8):2514-2522  Hasegawa, T. et al., "Quantitative analysis of uniaxial molecular orientation in Langmuir-Blodgett films by infrared relection spectroscopy," (1995) <i>Langmuir</i> 11:1236-1243  Haskins, K. and McDuffe, M. (1990), "Acceleration of diabetes in young NOD mice with CD4" islet-specific T cell clone," <i>Science</i> 249:1433-1436  Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) <i>Int. J. Biol. Macromol.</i> 24:271-275  Hayashi, C.Y. and Lewis, R.V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) <i>J. Mol. Biol.</i> 275: 773-84  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility,"(1984) <i>Biomaterials</i> 5:135-142  Hayzer, D.J. et al., "CDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of putative sites reported for the human gene," (1999) <i>Throm. Res.</i> 98:195-201 |           |  |
|---|-----------|--|
| Hanson, S.R. et al., "Antithrombotic effects of thrombin-induced activation of endogenous protein C in primates," (1993) <i>J. Clin. Invest.</i> 92(4):2003-2012  Hanson, S.R. et al., "Effects of angiotensin converting enzyme inhibition with cilazapril on intimal hyperplasia in injured arteries and vascular grafts in the baboon," (1991) <i>Hypertension</i> 18(4Suppl):II-70-II-76  Hanson, S.R. et al., "Platelet interactions with Dacron vascular grafts; a model of acute thrombosis in baboons," (1985) <i>Arteriosclerosis</i> 5(6):595-603  Harker, L.A. et al., "Effects of megakaryocyte growth and development factor on platelet production, platelet life span, and platelet function in healthy human volunteers," (April 2000) <i>Blood</i> 95(8):2514-2522  Hasegawa, T. et al., "Quantitative analysis of uniaxial molecular orientation in Langmuir-Blodgett films by infrared relection spectroscopy," (1995) <i>Langmuir</i> 11:1236-1243  Haskins, K. and McDuffe, M. (1990), "Acceleration of diabetes in young NOD mice with CD4" islet-specific T cell clone," <i>Science</i> 249:1433-1436  Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) <i>Int. J. Biol. Macromol.</i> 24:271-275  Hayashi, C. Y. and Lewis, R. V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) <i>J. Mol. Biol.</i> 275: 773-84  Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986) <i>Biomaterials</i> 7:252-258  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility,"(1984) <i>Biomaterials</i> 5:135-142  |           | inicidence psulation with alginate-poly-L-lysine membranes " Transplantation   |
| Hanson, S.R. et al., "Effects of angiotensin converting enzyme inhibition with cilazapril on intimal hyperplasia in injured arteries and vascular grafts in the baboon," (1991) Hypertension 18(4Suppl):II-70-II-76  Hanson, S.R. et al., "Platelet interactions with Dacron vascular grafts; a model of acute thrombosis in baboons," (1985) Arteriosclerosis 5(6):595-603  Harker, L.A. et al., "Effects of megakaryocyte growth and development factor on platelet production, platelet life span, and platelet function in healthy human volunteers," (April 2000) Blood 95(8):2514-2522  Hasegawa, T. et al., "Quantitative analysis of uniaxial molecular orientation in Langmuir-Blodgett films by infrared relection spectroscopy," (1995) Langmuir 11:1236-1243  Haskins, K. and McDuffe, M. (1990), "Acceleration of diabetes in young NOD mice with CD4" islet-specific T cell clone," Science 249:1433-1436  Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) Int. J. Biol. Macromol. 24:271-275  Hayashi, C. Y. and Lewis, R. V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) J. Mol. Biol. 275: 773-84  Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986) Biomaterials 7:252-258  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility," (1984) Biomaterials 5:135-142.  Hayzer, D.J. et al., "CDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the base.  |           | Hanson, S.R. et al., "Blood flow and antithrombotic drug effects," (1998) Am. Heart Journal 135(5 Pt 2 Su):S132-145  |
| Hanson, S.R. et al., "Effects of angiotensin converting enzyme inhibition with cilazapril on intimal hyperplasia in injured arteries and vascular grafts in the baboon," (1991) Hypertension 18(4Suppl):II-70-II-76  Hanson, S.R. et al., "Platelet interactions with Dacron vascular grafts; a model of acute thrombosis in baboons," (1985) Arteriosclerosis 5(6):595-603  Harker, L.A. et al., "Effects of megakaryocyte growth and development factor on platelet production, platelet life span, and platelet function in healthy human volunteers," (April 2000) Blood 95(8):2514-2522  Hasegawa, T. et al., "Quantitative analysis of uniaxial molecular orientation in Langmuir-Blodgett films by infrared relection spectroscopy," (1995) Langmuir 11:1236-1243  Haskins, K. and McDuffe, M. (1990), "Acceleration of diabetes in young NOD mice with CD4* islet-specific T cell clone," Science 249:1433-1436  Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) Int. J. Biol. Macromol. 24:271-275  Hayashi, C. Y. and Lewis, R. V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) J. Mol. Biol. 275: 773-84  Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986) Biomaterials 7:252-258  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility," (1984) Biomaterials 5:135-142  Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the business and primate transcription start site upstream of nutative sites reported for the business and primate transcription start site upstream of nutative sites reported for the business and primate transcription start site upstream of nutative sites reported for the business and primate transcriptions tart site upstream of nutative sites reported for the business and primate transcriptions.  |           | Hanson, S.R. et al., "Antithrombotic effects of thrombin-induced activation of endogenous protein C in primates," (1993) <i>J. Clin. Invest.</i> 92(4):2003-2012 |
| Harker, L.A. et al., "Effects of megakaryocyte growth and development factor on platelet production, platelet life span, and platelet function in healthy human volunteers," (April 2000) <i>Blood</i> 95(8):2514-2522  Hasegawa, T. et al., "Quantitative analysis of uniaxial molecular orientation in Langmuir-Blodgett films by infrared relection spectroscopy," (1995) <i>Langmuir</i> 11:1236-1243  Haskins, K. and McDuffe, M. (1990), "Acceleration of diabetes in young NOD mice with CD4* islet-specific T cell clone," <i>Science</i> 249:1433-1436  Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) <i>Int. J. Biol. Macromol.</i> 24:271-275  Hayashi, C. Y. and Lewis, R. V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) <i>J. Mol. Biol.</i> 275: 773-84  Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986) <i>Biomaterials</i> 7:252-258  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility," (1984) <i>Biomaterials</i> 5:135-142  Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the human   |           | Hanson, S.R. et al., "Effects of angiotensin converting enzyme inhibition with cilazapril on intimal hyperplasia in injured arterias and vasculor crefts in the  |
| Harker, L.A. et al., "Effects of megakaryocyte growth and development factor on platelet production, platelet life span, and platelet function in healthy human volunteers," (April 2000) <i>Blood</i> 95(8):2514-2522  Hasegawa, T. et al., "Quantitative analysis of uniaxial molecular orientation in Langmuir-Blodgett films by infrared relection spectroscopy," (1995) <i>Langmuir</i> 11:1236-1243  Haskins, K. and McDuffe, M. (1990), "Acceleration of diabetes in young NOD mice with CD4" islet-specific T cell clone," <i>Science</i> 249:1433-1436  Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) <i>Int. J. Biol. Macromol.</i> 24:271-275  Hayashi, C. Y. and Lewis, R. V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) <i>J. Mol. Biol.</i> 275: 773-84  Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986) <i>Biomaterials</i> 7:252-258  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility,"(1984) <i>Biomaterials</i> 5:135-142  Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the business."   |           | Hanson, S.R. et al., "Platelet interactions with Dacron vascular grafts; a model of acute thrombosis in baboons," (1985) <i>Arteriosclerosis</i> 5(6):595-603    |
| Hasegawa, T. et al., "Quantitative analysis of uniaxial molecular orientation in Langmuir-Blodgett films by infrared relection spectroscopy," (1995) Langmuir 11:1236-1243  Haskins, K. and McDuffe, M. (1990), "Acceleration of diabetes in young NOD mice with CD4* islet-specific T cell clone," Science 249:1433-1436  Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) Int. J. Biol. Macromol. 24:271-275  Hayashi, C. Y. and Lewis, R. V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) J. Mol. Biol. 275: 773-84  Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986) Biomaterials 7:252-258  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility,"(1984) Biomaterials 5:135-142  Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the baboon   |           | Harker, L.A. et al., "Effects of megakaryocyte growth and development factor on platelet production, platelet life span, and platelet function in health, the    |
| Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) Int. J. Biol. Macromol. 24:271-275  Hayashi, C. Y. and Lewis, R. V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) J. Mol. Biol. 275: 773-84  Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986) Biomaterials 7:252-258  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility,"(1984) Biomaterials 5:135-142  Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the human   |           | Langitum-Diougett illims by intrared rejection spectroscopy " (1005) /   |
| Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) <i>Int. J. Biol. Macromol.</i> 24:271-275  Hayashi, C. Y. and Lewis, R. V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) <i>J. Mol. Biol.</i> 275: 773-84  Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986) <i>Biomaterials</i> 7:252-258  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility,"(1984) <i>Biomaterials</i> 5:135-142  Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the bases."   |           | Haskins, K. and McDuffe, M. (1990), "Acceleration of diabetes in young NOD mice with CD4* islet-specific T cell clone," Science 249:1433-1436                    |
| Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer surfaces," (1986)  Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility,"(1984) Biomaterials 5:135-142  Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the bases."   |           | Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins." (1999) Int. I. Biol. Macromet      |
| Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility,"(1984) <i>Biomaterials</i> 5:135-142  Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the human  | 1 1 1     | structural basis of elasticity and modular nature of spider silks " (1009) / May   |
| Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of nutative sites reported for the human   |           | Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986)  Biomaterials 7:252-258  |
| primate transcription start site upstream of nutative sites reported for the human  | 1 1 1 1 1 | Julymer design: the potential for hapmocompatibility "(4004) promote the   |
|   | 1 1 1 1   | minate transcription start site upstream of nutative sites reported for the human  |
| Hayzer, D.J. et al., "Characterization of a cDNA encoding the β-chain of baboon receptor glycoprotein BPIb," (1993) Gene 127:271-272  | H         | Hayzer, D.J. et al., "Characterization of a cDNA encoding the β-chain of baboon eceptor glycoprotein BPlb," (1993) <i>Gene</i> 127:271-272                       |




| Hébert, N. et al., "A new reagent for the removal of the <b>4-methozybenzyl</b> ether: application to the synthesis of unusual macrocyclic and bolaform phosphatidylcholines," (1992) <i>J. Org. Chem.</i> 57:1777-1783.                              |
|---|
| Helm, C.A. et al., "Measurement of ligand-receptor interactions," (1991) Proc. Natl. Acad. Sci. USA 88:8169-8173  |
| Hergenrother, P.J. et al., "Small-molecule microarrays: covalent attachment and screening of alcohol-containing small molecules on glass slides," (2000) <i>J. Am. Chem. Soc.</i> 122:7849-7850   |
| Heroguez, V. et al., "Novel amphiphilic architectures by ring-opening metathesis polymerization of macromonomers," (1997) <i>Macromolecules</i> 30:4791-4798  |
| Huang, L. et al., "Generation of synthetic elastin-mimetic small diameter fibers and fiber networks," (2000) <i>Macromolecules</i> 33: 2989-2997 (published on Web 03/24/00)  |
| Hubbell, J.A. et al., "Endothelial cell-selective materials for tissue engineering in the vascular graft via a new receptor," (1991) <i>Bio/Technology</i> 9:568-572.   |
| Hudson, S.M., "The spinning of silk-like proteins into fibers," <i>Protein-Based Materials</i> , McGrath, K. and Kaplan, D., Ed.: Birkhauser: Boston, 1997, pp. 313-337   |
| Ishihara, K., "Novel polymeric materials for obtaining blood-compatible surfaces," (1997) <i>TRIP</i> 5(12):401-407   |
| Ishihara, K. et al., "Synthesis of phospholipid polymers having a urethane bond in the side chain as coating material on segmented polyurethane and their platelet adhesion-resistant properties," (1995) <i>Biomaterials</i> 16:873-879              |
| Ishihara, K. et al., "Hemocompatibility on graft copolymers composed of poly(2-methacryloyloxyethyl phosphorylcholine) side chain and poly( <i>n</i> -butyl methacrylate) backbone," (1994) <i>J. Biomed. Mater. Res.</i> 28:225-232                  |
| Ishihara, K. et al., "Hemocompatibility of human whole blood on polymers with a phospholipid polar group and its mechanism," (1992) <i>J. Biomed Mat. Res.</i> 26:1543-1552   |
| Ishihara, K. et al., "Reduced thrombogenicity of polymers having phospholipid polar groups," (1990) <i>J. Biomed Mat. Res.</i> 24:1069-1077   |
| Ito Y., Section/Chapter 5.2, "Cell growth factor immobilized materials," p. 285-310; in Imanishi, Y. 1992. Synthesis of Biocomposite Materials: Chemical and Biological Modified Natural Polymers. Boca Raton, FL, CRC Press, 314 p. ISBN 0849367719. |




| Jackson, R.L. et al., "Glycosaminoglycans: molecular properties, protein interactions, and role in physiological processes," (1991) <i>Physiol. Rev.</i> 71(2):481-539   |
|--|
| Janeway, C. and Bottomly, K., "Signals and signs for lymphocyte responses," (1994) Cell 76:275-285   |
| Jarpe, A.J. et al., "Flow cytometric enumeration of mononuclear cell populations infiltrating the islets of Langerhans in prediabetic NOD mice: Development of model of autoimmune insulinitis for Type I diabetes," (1990) Regional Immunology 3:305-317              |
| Kagan, H.M. et al., "Repeat polypeptide models of elastin as substrates for lysyl oxidase," (1980) <i>J. Biol. Chem.</i> 255:3656-3659   |
| Kalafatis, M. et al., "Regulation and regulatory role of γ-carboxyglutamic acid containing clotting factors," (1996) <i>Critical Reviews in Eukaryotic Gene Expression</i> 6(1):87-101   |
| Kalafatis, M. et al., "The regulation of clotting factors," (1997) Crit. Rev. Eukaryotic Gene Expression 7(3):241-280  |
| Kawamoto et al., "Reconstituted collagen is not capable of activating factor XII but causes intrinsic coagulation by activating platelets," (1992) <i>Blood Coagulation &amp; Fibrinolysis</i> 3(4):371-379  |
| Ke, Y. et al., "Ovalbumin injected with complete Freund's adjuvant stimulates cytolytic responses," (1995) <i>Eur. J. Immunol.</i> 1995:549-553  |
| Khaled, Md. A. et al., "Proton magnetic resonance and conformational energy calculations of repeat peptides of tropoelastin: the tetrapeptide," (1976) <i>J. Am. Chem. Soc.</i> 98: 7547-7553  |
| Kim, D.H. et al., "The influence of tiered layers of surface-grafted poly(ethylene glycol) on receptor-ligand-mediated adhesion between phospholipid monolayer-stabilized microbubbles and coated glass beads," (2000) Langmuir 16:2808-2817                           |
| Kim, H.S. et al., "Characterizing structural changes in point-bonded nonwoven fabrics during load-deformation experiments," (Feb. 2001) Textile Res. J. 71(2):157-164  |
| Kimura, T. et al., "High-resolution solid-state <sup>13</sup> C nuclear magnetic resonance study of the combined process of <sup>1</sup> H spin diffusion and <sup>1</sup> H spin-lattice relaxation in semicrystalline polymers," (1992) <i>Polymer</i> 33(3):493-497 |
| King, G.A. et al (1987), "Alginate-polylysine microcapsules of controlled membrane molecular weight cutoff for mammalian cell culture engineering,"<br>Biotech Progress 3:23I-240  |
|  |



| Kishida, A. et al., "In vivo and ex vivo evaluation of the antithrombogenecity of human thrombomodulin immobilized biomaterials," (1995) ASAIO Journal 41:M369-374  |
|---|
| Kishida, A. et al., "Immobilization of human thrombomodulin onto biomaterials," (1994) ASAIO Journal 40(3):M840-845   |
| Kishida, A. et al., "Immobilization of human thrombomodulin on biomaterials: evaluation of the activity of immobilized human thrombomodulin," (1994) <i>Biomaterials</i> 15(14):1170-1174                                 |
| Kishida, A. et al., "Immobilization of human thrombomodulin onto poly(ether urethane urea) for developing antithrombogenic blood-contacting materials," (1994) Biomaterials 15(10):848-852                                |
| Kobayashi, T. et al., "Theory of the kinetics of reactions catalyzed by enzymes attached to membranes," (1974) <i>Biotech. Bioeng.</i> 16(1):77-97  |
| Kobayashi, T. et al., "Theory of the kinetics of reactions catalyzed by enzymes attached to the interior surfaces of tubes," (1974) <i>Biotech. Bioeng.</i> 16(1):99-118  |
| Köhler, A.S. et al., "Platelet adhesion to novel phospholipid materials: modified phosphatidylcholine covalently immobilized to silica, polypropylene, and PTFE materials," (1996) <i>J. Biomed. Mat. Res.</i> 32:237-242 |
| Kojima, M. et al., "Interaction between phospholipids and biocompatible polymers containing a phosphorylcholine moiety," (1991) <i>Biomaterials</i> 12:121-124  |
| <br>Korbutt, G.S. et al., "Large scale isolation, growth, and function of porcine neonatal islet cells," (1996) <i>J. Clin. Invest.</i> 97(9):2119-2129   |
| Korbutt, G.S. et al., "Porcine islet cell antigens are recognized by xenoreactive natural human antibodies of both IgG and IgM subtypes," (1995)  Transplantation Proceedings 28:821-823                                  |
| Korbutt, G.S. et al., "Successful reversal of diabetes in nude mice by transplantation of microencapsulated porcine neonatal islet cell aggregates," (1995) Transplantation Proceedings 27:3212                           |
| Krejchi, M.T. et al., "Chemical sequence control of β-sheet assembly in macromolecular crystals of periodic polypeptides," (1994) Science 265:1427-1432   |
| <br>Krych, M. et al., "Complement receptors," (1992) Curr. Opin. Immunol. 4:8-13  |
| Kuhlenschmidt, T.B. and Lee, Y.C., "Specificity of chicken liver carbohydrate binding protein," (1983) <i>Biochem.</i> 23(16):3569-3575   |
|   |



|       | Kühner, M. et al., "Lipid mono- and bilayer supported on polymer films: composite polymer-lipid films on solid substrates," (1994) E. Biophys. J. 67:217-226  |
|-------|---|
|       | Lamparski et al. (1993) J. Am. Chem. Soc. 11:8096-8102  |
|       | Lamparski, H. et al., "Photoinduced destabilization of liposomes," (1992)<br>Biochemistry 31:685-694  |
|       | Laster, J. and Silver, D., "Heparin-coated catheters and heparin-induced thrombocytopenia," (1988) <i>J. Vasc. Surg.</i> 7(5):667-672   |
|       | Lee, T.A.T. et al., "Thermo-reversible self-assembly of nanoparticles derived from elastin-mimetic polypeptides," (Aug. 2000) Advanced Materials 12(15):1105-1110   |
|       | Lenschow, D. et al. (1992), "Long-term survival of xenogeneic pancreatic islet grafts induced by CTLA4Ig," Science 257:789-795  |
|       | Lim, F. and Sun, A.M. (1980), "Microencapsulated islets as a bioartificial endocrine pancreas, <i>Science</i> 2l0:908-910   |
|       | Lindhout, T. et al., "Antithrombin activity of surface-bound heparin studied under flow conditions," (1995) J. Biomed. Mater. Res. 29(10):1255-1266   |
|       | Lindner, V. et al., "Basic fibroblast growth factor stimulates endothelial regrowth and proliferation in denuded arteries," (1990) J. Clin. Invest. 85:2004-2008  |
|       | Loudovaris, T. et al. (1992), "The role of T cells in the destruction of xenografts within cell impermeable membranes," <i>Transplantation Proceedings</i> 24:2938  |
|       | Loykulnant, S. and Hirao, A., "Protection and polymerization of functional monomers. 30. Anionic living polymerization of 4-alkylstyrenes containing acetal-protected monosaccharide residues," (2000), Macromolecules 33:4757-4764 |
|       | Loykulnant, S. et al., "Protection and polymerization of functional monomers. 28. Anionic living polymerization of styrene derivatives containing acetal-protected monosaccharide residues," (1998) Macromolecules 31:9121-9126     |
|       | Lu, D. et al., "Comparison of activated protein C/protein S-mediated inactivation of human facor VIII and factor V," (1996) <i>Blood</i> 87(11):4708-4717   |
| 1 1 1 | Lvov, Y. et al., "Assembly, structural characterization, and thermal behavior of layer-by-layer deposited ultrathin films of poly(vinyl sulfate) and poly(allylamine)," (1993) Langmuir 9:481-486                                   |
|       | MacDonald, R.C. et al., "Small-volume extrusion apparatus for preparation of large, unilamellar vesicles," (1991) Biochim. Biophys. Acta 1061:297-303   |




| Mann, K.G. et al., "Cofactor proteins in the assembly and expression of blood clotting enzyme complexes," (1988) <i>Ann. Rev. Biochemistry</i> 57:915-956   |
|---|
| <br>Mao, G., et al., "Interactions, structure, and stability of photoreactive bolaform amphiphile multilayers," (1995) <i>Langmuir</i> 11:942-952   |
| Maoz et al. (1984) "On the formation and structure of self-assembling monolayers," J. Colloid Interface Sci. 100(2):456   |
| Markovich, R.J. et al., "Silica subsurface amine effect on the chemical stability and chromatographic properties of end-capped immobilized artificial membrane surfaces," (1991) <i>Anal. Chem.</i> 63:1851-1860                              |
| Marra, K.G. et al., "Cytomimetic biomaterials. 1. In-Situ polymerization of phospholipids on an alkylated surface," (1997) Macromolecules 30:6483-6488  |
| Marra, K.G. et al., "Cytomimetic biomaterials. 2. In-Situ polymerization of phospholipids on a polymer surface," (1997) Langmuir 13:5697-5701   |
| Marra, K.G. et al., "Stabilized phosphatidylcholine surfaces via in-situ polymerization at a solid-liquid interface," (1997) Polymer Preprints 38(2):682-683  |
| Marsh, A. et al., "Atom transfer polymerization: use of uridine and adenosine derivatized monomers and initiators," (1999) <i>J. Macromolecules</i> 32:8725-8731  |
| Martin, D.C. et al., "Processing and Characterization of Protein Polymers,"<br>Protein-Based Materials, McGrath, K. and Kaplan, D., Eds.; Birkhauser: Boston, 1997, pp.339-370  |
| Martin, S.F. et al., "General method for the synthesis of phospholipid derivatives of 1,2-O-diacyl-sn-glycerols," (1994) J. Org. Chem. 59:4805-4820   |
| Massia, S.P. and Hubbell, J.A., "Vascular endothelial cell adhesion and spreading promoted by the peptide REDV of the IIICS region of plasma fibronectin is mediated by integrin $a_2\beta_1$ ," (1992) <i>J. Biol. Chem.</i> 267:14019-14026 |
| Matthew, H.W. et al (1993) "Complex coacervate microcapsules for mammalian cell culture and artificial organ development," <i>Biotechnol. Prog.</i> 9:510-519   |
| Mauk, A.W. et al., "Structural characterization of self-assembled lipid monolayers by NπT simulation," (1998) Langmuir 14:5255-5266   |
| Mauk, M.R. et al., "Vesicle targeting: timed release and specificity for leukocytes in mice by subcutaneous injection," (1980) Science 207:309-311  |
| McLean, L.R. et al., "Preparation of stable polar surfaces using polymerizable long-chain diacetylene molecules," (1983) <i>Thin Solid Films</i> 99:127-131   |

|                        | AN 2 1 LOS            |   |
|------------------------|-----------------------|---|
| Form PTO 1449          | TA TRADEARE           | Greenlee, Winner and Sullivan, P.C., 01/21/04 |
| ATTY DOCKET NO. 133-02 | SERIAL NO. 10/720,025 | FILING DATE 21 November 2003                  |
| APPLICANT Chaikof      |                       | GROUP   |


| V |   |
|---|---|
|   | McMillan R.A. and Conticello, R. P., "Synthesis and characterization of elastin-<br>mimetic protein gels derived from a well-defined polypeptide precursor," (2000)<br>Macromolecules 33:4809-4821  |
|   | McMillan, R.A. et al., "High-resolution topographic imaging of environmentally responsive, elastin-mimetic hydrogels," (1999) Macromolecules 32:9067-9070   |
|   | McMillan, R.A. et al., "Rapid assembly of synthetic genes encoding protein polymers," (1999) <i>Macromolecules</i> 32: 3643-3648  |
|   | McPherson, D.T. et al., "Product purification by reversible phase transition following <i>Eschericia coli</i> expression of genes encoding up to 251 repeats of the elastomeric pentapeptide GVGVP," (1996) <i>Protein Expression Purification</i> 7: 51-57 |
|   | McPherson, D.T. et al., "Production and purification of a recombinant elastomeric polypeptide, G-(VPGVG) <sub>19</sub> -VPGV, from <i>Escherichia coli</i> ," (1992) <i>Biotechnology Progress</i> 8:347-352  |
|   | Merrill, E.W. et al., "Polyvinyl alcohol-heparin hydrogel 'G'," (1970) J. Applied Physiology 29(5):723-730  |
|   | Meuse, C. W. et al., "Hybrid bilayer membranes in air and water: infrared spectroscopy and neutron reflectivity studies," (1998) <i>Biophys J.</i> 74:1388-1398   |
|   | Mielczarski, J.A. and Yoon, R.H., "Fourier transform infrared external reflection study of molecular orientation in spontaneously adsorbed layers on low-absorption substrates," (1989) <i>J. Phys. Chem.</i> 93:2034-2038                                  |
|   | Miller, B. et al., "Both the Lyt-2* and L3T4* T cell subsets are required for the transfer of diabetes in nonobese diabetic mice" (1988) <i>J. Immunol.</i> 140:52-8  |
|   | Minoda, M. et al. "Synthesis of functional polymers bearing pendant mono- and oligo- saccharide residues," <i>Macromol. Symp.</i> 99:169-177 (1995)   |
|   | Miyata, T. and Nakamae, K., "Polymers with pendent saccharides - 'glycopolymers'," (1997) <i>Trends Polym. Sci.</i> 5:198-206   |
|   | Miyoshi, M. et al., "A rapid formation of lysine-derived crosslinks by chick embryo aorta," (1976) <i>J. Biochem. (Tokyo)</i> 79: 235-1243  |
|   | Monshipouri, M. and Rudolph, A.S., "Liposome-encapsulated alginate: controlled hydrogel particle formation and release," (1995) <i>J. Microencapsulation</i> 12(2):117-127  |
|   | Moore et al., (1983) Macromolecules 16:335-338  |
|   | Moses, R. et al. (1990), "Xenogeneic proliferation and lymphokine production are dependent upon CD4+ helper T cells and self antigen-presenting cells in the mouse. I," <i>Exp. Med.</i> 172:567-75   |

| JAN 2 1 DE                                   |   |
|--|---|
| Form PTO 1449                                | Greenlee, Winner and Sullivan, P.C., 01/21/04 |
| ATTY DOCKET NO. 133-02 SERIAL NO. 10/720,025 | FILING DATE 21 November 2003                  |
| APPLICANT Chaikof                            | GROUP   |


| <br>Moya, S. et al., "Lipid coating on polyelectrolyte surface modified colloidal particles and polyelectrolyte capsules," (2000) Macromolecules 33:4538-4544  |
|--|
| Müller-Eberhard, H.I., "Molecular organization and function of the complement system," (1988) <i>Ann. Rev. Biochem.</i> 57:321-347   |
| Nagahori, N. and Nishimura, S-I., "Tailored glycopolymers: controlling the carbohydrate-protein interaction based on template effect," (2001)<br>Biomacromolecules 2:22-24 (published on Web 12/28/2000)   |
| Nagle, J.F. et al., "X-ray structure determination of fully hydrated L <sub>o</sub> phase dipalmitoylphosphatidylcholine bilayers," (1996) <i>Biophys. J.</i> 70:1419-1431   |
| Nah, J-W et al., "Polymeric micelle formation of multiblock copolymer composed of poly(γ-benzyl <i>L</i> -glutamate) and poly(ethylene oxide)," (2000) <i>Bull. Korean Chem. Soc.</i> 21(4):383-388  |
| Nah, J-W et al., "Drug-delivery system based on core-shell-type nanoparticles composed of poly(γ-benzyl <i>L</i> -glutamate) and poly(ethylene oxide), (2000) <i>J. App. Polymer Sci.</i> 75:115-1126  |
| Nemerson, Y. and Turitto, V.T., "The effect of flow on hemostasis and thrombosis," (1991) <i>Thromb. Haemostasis</i> 66(3):272-276   |
| Nickerson, P. et al., "Analysis of cytokine transcripts in pancreatic islet cell allografts during rejection and tolerance induction," (1993) <i>Transplantation Proceedings</i> 25:984-985  |
| Nojiri, C. et al., "Can heparin immobilized surfaces maintain nonthrombogenic activity during <i>In Vivo</i> long-term implantation?" (1996) <i>ASAIO Journal</i> 42(5):M468-475   |
| Nojiri, C. et al., "In vivo nonthrombogenicity of heparin immobilized polymer surfaces," (1990) ASAIO Transactions 36(3):M168-172  |
| Nomura, K. and Schrock, R.R., "Preparation of 'sugar-coated' homopolymers and multiblock ROMP copolymers," (1996) Macromolecules 29:540  |
| <br>O'Brien, D.F. et al., "Polymerization of preformed self-organized assemblies," (1998) Acc. Chem. Res. 31:861-868   |
| O'Connell, P.J. et al., "Unmodified pancreatic islet allograft rejection results in the preferential expression of certain T cell activation transcripts," (1993) <i>J. Immunol.</i> 150:1093-1104   |
| O'Donnell, J. H. and Whittaker, A. K., "Radiation degradation of linear low density polyethylene: determination of lamellae thickness, crystallinity and crosslinking by solid-state <sup>13</sup> C NMR and DSC," (1992) <i>Radiat. Phys. Chem.</i> 36(20:209-214 |




| $\overline{\Gamma}$ | T |   |
|---------------------|---|---|
|                     |   | O'Donnell, J. H. and Whittaker, A. K., "A solid-state <sup>13</sup> C-NMR study of crosslinking in polybutadiene by γ radiation: effect of microstructure and dose," (1992) J. Polym. Chem. Ed. 30:185-195                                    |
|                     |   | Ohno, K. et al., "Nitroxide-controlled free radical polymerization of a sugar-carrying acryloyl monomer," (1999) <i>Macromol. Chem. Phys.</i> 200:1619-1625   |
|                     | ļ | Ohno, K. et al., "Synthesis of a well-defined glycopolymer by nitroxide-controlled free radical polymerization," (1998) <i>Macromolecules</i> 31:1064   |
|                     |   | Ohno, K. et al., "Synthesis of a well-defined glycopolymer by atom transfer radical polymerization," (1998) <i>J. Polym. Sci., Part A: Polym. Chem.</i> 36:2473-2481  |
|                     |   | Ohno, K. et al., "Free radical polymerization of a sugar residue-carrying styryl monomer with a lipophilic alkoxyamine initiator: synthesis of a well-defined novel glycolipid," (1998) <i>Macromol. Chem. Phys.</i> 199:2193-2197            |
|                     |   | Ohno, H. et al., "Polymerization of liposomes composed of diene-containing lipids by UV and radical initiators: evidence for the different chemical environment of diene groups on 1- and 2-acyl chains," (1987) <i>Macromol</i> . 20:929-933 |
|                     |   | Ohno et al., "Polymerization of liposomes composed of diene-containing lipids by radical initiators. II. Polymerization of monodiene-type lipids as liposomes," (1987) J. Polym. Sci.: Part A: Polym. Chem. 25:2737-2746                      |
|                     |   | Orban, J.M. et al., "Cytomimetic biomaterials. 4. In-situ photo polymerization of phospholipids on an alkylated surface," (2000) <i>Macromolecules</i> 33:4205-4212 (published on Web 05/06/00)   |
|                     | _ | Ornitz, D.M. et al., "FGF binding and FGF receptor activation by synthetic heparan-derived di- and trisaccharides," (1995) Science 268:432-434  |
|                     |   | Otani et al., "Rapidly curable biological glue composed of gelatin and poly(L-glutamic acid)," (1996) <i>Biomaterials</i> 17(14):1387-1391  |
|                     |   | Owen, W.G. and Esmon, C.T., "Functional properties of an endothelial cell cofactor for thrombin-catalyzed activation of protein C," (1981) J. Biol. Chem. 256(11):5532-5535   |
|                     |   | Packer, K. J. et al., "The effects of morphology on <sup>1</sup> H NMR spectra and relaxation in semicrystalline polyolefins," (1984) <i>J. Polym. Sci.: Polym. Phys.</i> 22:589-616  |
|                     |   | Panitch, A. et al., "Design and biosynthesis of elastin-like artificial extracellular matrix proteins containing periodically spaced fibronectin CS5 domains," (1999)<br>Macromolecules 32:1701-1703  |




|      | Parikh, A.N. et al., "An intrinsic relationship between molecular structure in self assembled <i>n</i> -alkysiloxane monolayers and deposition temperature," (1994) <i>J. Phys. Chem.</i> 98:7577       |
|------|---|
| -    | Parker, W. et al., "Transplantation of discordant xenografts: a challenge revisited," (1996) <i>Immunology Today</i> 17:373-378   |
| <br> | Pasquali-Ronchetti et al., "Study of elastic fiber organization by scanning force microscopy," (1998) <i>Matrix Biology</i> 17:75-83  |
|      | Pasquali-Ronchetti et al., "Ultrastructure of elastin," (1995) Ciba Foundation Symposium 192:31-50  |
|      | Pearce, K.H. et al., "Comparison of the membrane binding kinetics of bovine prothrombin and its fragment 1," (1993) <i>J. Biol. Chem.</i> 268:22984-22991   |
|      | Peterson, I.D., and Haskins, K. (1996), "Transfer of diabetes in the NOD-scid mouse by CD4 T-cell clones: differential requirement for CD8 T-cells," <i>Diabetes</i> 45:328-36                          |
|      | Petka, W.A. et al., "Reversible hydrogels from self-assembling artificial proteins," (1998) Science 281:389-392   |
|      | Petitou, M. et al., "Synthesis of thrombin-inhibiting heparin mimetics without side effects," (1999) <i>Nature</i> 398:417-422  |
|      | Petitou, M. et al., "First synthetic carbohydrates with the full anticoagulant properties of heparin," (1998), Chem. Int. Ed. 37:3009-3014  |
|      | Pierson, R. et al. (1989), "CD4" lymphocytes play a dominant role in murine xenogeneic responses," <i>Transplantation Proceedings</i> 21:519  |
|      | Plant, A.L. et al., "Phospholipid/alkanethiol bilayers for cell-surface receptor studies by surface plasmon resonance," (1995) <i>Anal. Biochem.</i> 226:342-348  |
|      | Plant, A. L., "Self-assembled phospholipid/alkanethiol biomimetic bilayers on gold," (1993) <i>Langmuir</i> 9: 2764-2767  |
|      | Plant, A.L. et al., "Generic liposome reagent for immunoassays," (1989) <i>Anal. Biochem.</i> 176:420-426   |
|      | Ponpipom, M.M. and Bugianesi, R.L., "Isolation of 1,3-distearoyl-glycero-2-phosphocholine (β-lecithin) from commercial 1,2-distearoyl-sn-glycero-3-phosphocholine," (1980) <i>Lipid Res.</i> 21:136-139 |
|      | Pourdeyhimi, B. et al., "Measuring fiber diameter distribution in nonwovens," (1999) Textile Res. J. 69:233-236   |




| Qiu, Z-H. and Leslie, C.C., "Protein kinase C-dependent and -independent pathways of mitogen-activated protein kinase activation in macrophages by stimuli that activate phospholipase A <sub>2</sub> ," (1994) <i>J. Biol. Chem.</i> 269:19480-19487 |
|---|
| Rand, M.D. et al., "Blood clotting in minimally altered whole blood," (1996) Blood 88(9):3432-3445  |
| Rapaka, R.S. et al., "Non-elastomeric polypeptide models of elastin," (1978) Int. J. Pept. Protein Res. 11:109-127  |
| Regen, S.L. et al., "Polymer-supported membranes. A new approach for modifying polymer surfaces," (1983) <i>Macromolecules</i> 16:335-338   |
| Reneker, D.H. and Chun, I., "Nanometre diameter fibres of polymer, produced by electrospinning," (1996) Nanotechnology 7: 216-223   |
| Reneker, D.H. and Srinivasan, G., "Electrospun polyaramid fibers: structure and morphology," (1995) <i>Bull Am. Phys. Soc.</i> 40:351   |
| Rifkin, D.B. and Moscatelli, D., "Recent developments in the cell biology of basic fibroblast growth factor," (1989) J. Cell. Biol. 109:1-6   |
| Ringsdorf et al., "Molecular architecture and function of polymeric oriented systems: models for the study of organization, surface recognition, and dynamics of biomembranes," (1988) <i>Angew. Chem. Int. Ed. Engl.</i> 27:113-158                  |
| Roach, M.R. and Burton A.C., "The reason for the shape of the distensibility curves of arteries," (1957) Can. J. Biochem. Physiol. 35:681-690   |
| Roberts, I. et al. (1996), "Dopamine secretion by PC12 cells microencapsulated in a hydroxymethyl methacrylate-methyl methacrylate copolymer," <i>Biomaterials</i> 17:267-275   |
| Robins, S. P., "Analysis of the crosslinking components in collagen and elastin," (1982) Methods Biochem. Anal. 28:329-379  |
| Rosen, E.M. et al., "Regulation of motility in bovine brain endothelial cells," (1991) <i>J. Cell Physiol</i> . 146:325-35  |
| Roy, B.C. et al., "Synthesis and fluorescence properties of new fluorescent, polymerizable, metal-chelating lipids," (2000) <i>J. Org. Chem.</i> 65:3644-3651   |
| Roy, R., "Recent developments in the rational design of multivalent glycoconjugates," (1997) <i>Topics in Current Chem.</i> 187:241-274   |
| Roy, R., "Syntheses and some applications of chemically defined multivalent glycoconjugates," (1996) Current Opinion in Structural Biology 6:692-702  |




| Sabatani, E. and Rubinstein, I., "Organized self-assembling monolayers on electrodes. 2. Monolayer-based ultramicroelectrodes for the study of very rapid electrode kinetics," (1987) J. Phys. Chem. 91:6663-6669     |
|---|
| Sackmann, E. and Tanaka, M., Supported membranes on soft polymer cushions: fabrication, characterization and applications," (2000) <i>Trans Biotechnol.</i> 18:58-64  |
| Sadler, J.E., "Thrombomodulin structure and function," (1997) <i>Thromb. Haemostasis</i> 78(1):392-395  |
| Sakai, H. and Umemura, J., "Molecular orientation in Langmuir films of 12-hydroxystearic acid studied by infrared external-reflection spectroscopy," (1998)<br>Langmuir 14:6249-6255                                  |
| Sakata, Y., et al., "Activated protein C stimulates the fibrinolytic activity of cultured endothelial cells and decreases antiactivator activity," (1985) <i>Proc. Natl. Acad. Sci. USA</i> 82(4):1121-1125           |
| Sandberg, L.B. et al., "Elastin covalent structure as determined by solid phase amino acid sequencing," (1985) <i>Pathol. Biol.</i> 33:266-274  |
| Sandberg, L.B. et al., "Elastin structure, biosynthesis, and relation to disease states," (1981) N. Engl. J. Med. 304:566-579   |
| Sandberg, L.B. et al., "Primary structure of porcine tropoelastin," (1977) J. Adv. Exp. Med. Biol. 79:277-284   |
| Santin, M. et al., "Synthesis and characterization of a new interpenetrated poly(2-hydroxyethylmethacrylate)-gelatin composite polymer," (1996)<br>Biomaterials 17(15):1459-1467                                      |
| Sato, Y. and Rifkin, D.B., "Autocrine activities of basic fibroblast growth factor: regulation of endothelial cell movement, plasminogen activator synthesis, and DNA synthesis," (1988) J. Cell. Biol. 107:1199-1205 |
| Schmidt, R.R., "Recent developments in the synthesis of glycoconjugates," (1989) Pure Appl. Chem. 61(7):1257-70   |
| Sefton, M.V., (1989), Can. J. Chem. Eng. 67:705-712   |
| Seifert, K. et al., "Charge transport by ion translocating membrane proteins on solid supported membranes," (1993) <i>Biophys. J.</i> 64:384-391  |
| Seitz, M. et al., "Formation of tethered supported bilayers via membrane-inserting reactive lipids," (1998) <i>Thin Solid Films</i> 329:767-771   |
| Sells, T.D. & O'Brien, D.F., "Two-dimensional polymerization of lipid bilayers: degree of polymerization of acryloyl lipids," (1994) <i>Macromolecules</i> 27:226-233   |
|   |




| Serruys, P.W. et al., "Randomised comparison of implantation of heparin-<br>coated stents with balloon angioplasty in selected patients with coronary artery<br>disease (Benestent II)," (1998) Lancet 352:673-681 |
|--|
| Shen, W. W. et al., "Polymer-supported lipid bilayers on benzophenone-modified substrates," (2001) <i>Biomacromolecules</i> 2:70-79  |
| Shi, X. and Caruso, F., "Release behavior of thin-walled microcapsules composed of polyelectrolyte multilayers," (2001) Langmuir 17:2036-2042  |
| Shoji, M. et al., "Human and baboon integrin $\beta_s$ subunit-encoding mRNAs have alternative polyadenylation sites," (1993) <i>Gene</i> 133:307-308  |
| Shultz, L. et al., "Multiple defects in innate and adaptive immunologic function in NOD/LtSz-scid mice," (1995) J. Immunology 154:180-191  |
| Siedlecki, C.A. et al., "Interactions of human von Willebrand factor with a hydrophobic self-assembled monolayer studied by atomic force microscopy," (1994) Biomed. Mater. Res. 28:971                            |
| Slack, S.M. et al., "The effects of flow on blood coagulation and thrombosis," (1993) <i>Thromb. Haemostasis</i> 70(1):129-134   |
| Slack, S.M. and Turitto, V.T., "Flow chambers and their standardization for use in studies of thrombosis," (1994) <i>Thromb. Haemostasis</i> 72(5):777-781   |
| Smirnov, M.D. et al., "The effect of membrane composition on the hemostatic balance," (1999) <i>Biochemistry</i> 38(12):3591-3598  |
| Smirnov, M.D. and Esmon, C.T., "Phosphatidylethanolamine incorporation into vesicles selectively enhances factor Va inactivation by activated protein C," (1994) J. Biol. Chem. 269(2):816-819                     |
| Snyder, R.G. et al., "Vibrational spectra in the C—H stretching region and the structure of the polymethylene chain," (1978) Spectrochim. Acta, Part A 34A:395-406   |
| Solletti, J.M. et al., "Elaboration and characterization of phospholipid Langmuir-Blodgett films," (1996) Langmuir 1:5379-5386   |
| Spinke, J. et al., "Polymer-supported bilayer on a solid substrate," (1992)<br>Biophys. J. 63:1667-1671  |
| Stoll, M.S. et al., "Improved procedure for the construction of neoglycolipids having antigenic and lectin-binding activities, from reducing oligosaccharides," (1988) <i>Biochemical J.</i> 256:661-664.          |
| Sun, F. et al., "Ultrathin self-assembled polymeric films on solid surfaces. 2. Formation of 11-(n-pentyldithio)undecanoate-bearing polyacrylate monolayers on gold," (1993) Langmuir 9:3200-3207                  |
|  |




| Т |   |
|---|---|
|   | Sun, F. et al., "Spontaneous polymer thin film assembly and organization using mutually immiscible side chains," (1996) J. Am. Chem. Soc. 118:1856-1866   |
|   | Sun, F. et al., "Ultrathin self-assembled polymeric films on solid surfaces. III. Influence of acrylate dithioalkyl side chain length on polymeric monolayer formation on gold," (1994) J. Vac. Sci. Technol. 12:2499                 |
|   | Sun, L. and Chaikof, E.L., "The synthesis of neoglycophospholipid conjugates via reductive amination of $\omega$ -oxoalkylglycosides and phosphatidylethanolamines," (1998) <i>Carbohydrate Res.</i> 370:77-81                        |
|   | Sun, L. and Chaikof, E.L., "Neoglycophospholipids with alkyl spacers: synthesis via an improved reductive amination and monolayer properties," (1997)<br>Bioconjugate Chem. 8:567-571   |
|   | Sun, Y. et al. (1996), "Normalization of diabetes in spontaneously diabetic cynomologus monkeys by xenografts of microencapsulated porcine islets without immunosuppression," <i>J. Clin. Invest.</i> 98:1417-1422                    |
|   | Takeuchi, T. et al. (1992), "Heart allografts in murine systems: The differential activation of Th2-like effector cells in peripheral tolerance," <i>Transplantation</i> 53:1281-1294   |
|   | Tasumi, M.S. and Miyaza, T.J., "Normal vibrations and force constants of polymethylene chain," (1962) <i>J. Mol. Spectrosc.</i> 9:261-287   |
|   | Tendian, S.W. et al., "Evidence from total internal reflection fluorescence microscopy for calcium-independent binding of prothrombin to negatively charged planar phospholipid membranes," (1991) <i>Biochemistry</i> 30:10991-10999 |
|   | Terranova, V.P. et al., "Human endothelial cells are chemotactic to endothelial cell growth factor and heparin," (1985) Cell Biol.101:2330-2334   |
|   | Thomas, G.J. and Prescott, B., "Raman amide bands of type-II β-turns in cyclo-(VPGVG) <sub>3</sub> and poly-(VPGVG), and implications for protein secondary-structure analysis," (1987) <i>Biopolymers</i> 26:921-934                 |
|   | Toshima, K. and Tatsuta, K., "Recent progress on O-glycosylation methods and its application to natural products synthesis," (1993) Chem. Rev. 93:1503-1531   |
|   | Turitto, V.T. and Hall, C.L., "Mechanical factors affecting hemostasis and thrombosis," (1998) <i>Thromb. Res.</i> 92(6 Suppl.2):S25-310.   |
|   | Ueda, T. et al., "Preparation of 2-methacryloyloxyethyl phosphorylcholine copolymers with alkyl methacrylates and their blood compatibility," (1992)  Polym. J. 24(11):1259-1269  |



| Uludag, H. and Sefton, M.V., "Metabolic activity and proliferation of CHO cells in hydroxyethyl methacrylate-methyl methacrylate (HEMA-MMA) microcapsules," (1993) Cell Transplantation 2:175-182                         |
|---|
| Urry, D.W. et al., "Protein-based materials with a profound range of properties and applications: the elastin $\Delta T_t$ , hydrophobic paradigm," K. McGrath and D. Kaplan, Ed., Birkhauser: Boston, (1997), pp 133-177 |
| Urry, D.W. et al., "Molecular biophysics of elastin structure, function and pathology," (1995) Ciba Foundation Symposium 192:4-30   |
| Urry, D.W., "Molecular machines: how motion and other functions of living organisms can result from reversible chemical changes," (1993) <i>Angew. Chem. Int. Ed. Engl.</i> 32:819-841                                    |
| Urry, D.W. et al., "Two-dimensional proton NMR studies on poly(VPGVG) and its cyclic conformational correlate, cyclo(VPGVG) <sub>3</sub> ," (1989) <i>Biopolymers</i> 28:819-833  |
| Urry, D.W., "Entropic elastic processes in protein mechanisms. I. Elastic structure due to an inverse temperature transition and elasticity due to internal chain dynamics," (1988) J. Prot. Chem. 7(1):1-34              |
| Urry, D.W. et al., "Polytetrapeptide of elastin," (1986) Int. J. Pept. Protein Res. 28:649-660  |
| Urry, D.W. et al., "Polypentapeptide of elastin: temperature dependence of ellipticity and correlation with elastomeric force," (1985) <i>Biochem. Biophys. Res. Commun.</i> 130:50-57                                    |
| Urry, D.W. et al., "Phase-structure transitions of the elastin polypentapeptide-<br>water system within the framework of composition-temperature studies," (1985)<br>Biopolymers 24:2345-2356                             |
| Urry, D.W. et al., "Studies on the conformation and interactions of elastin secondary structure of synthetic repeat hexapeptides," (1975) <i>Biochim. Biophys. Acta</i> 393:296-306                                       |
| Urry, D.W. et al., "Studies on the conformation and interactions of elastin.  Proton magnetic resonance of the repeating pentapeptide," (1974) Biochemistry 13:609-616;   |
| van Ackern, F. et al., Ultrathin membranes for gas separation and pervaporation prepared upon electrostatic self-assembly of polyelectrolytes," (998) Thin Solid Films 329:762-766  |
| Van Boeckel, C.A.A. et al., "the unique antithrombin III binding domain of heparin: a lead to new synthetic antithrombotics," (1993) Chem. Int. Ed. Engl. 32(12):1671-1690  |



| Van Den Bulcke, A.I. et al., "Structural and rheological properties of methacrylamide modified gelatin hydrogels," (2000) <i>Biomacromolecules</i> 1:31-38   |
|--|
| Vanderhart, D. L., "Proton spin diffusion as a tool for characterizing polymer blends," (1990) Makromol. Chem., Macromol. Symp. 34:125-159   |
| van't Veer, C. et al., "Inhibitory mechanism of the protein C pathway on tissue factor-induced thrombin generation," (1997) <i>J. Biol. Chem.</i> 272(12):7983-7984  |
| Vasilets, V.N. et al., "Microwave CO <sub>2</sub> plasma-initiated vapour phase graft polymerization of acrylic acid onto polytetrafluoroethylene for immobilization of human thrombomodulin," (1997) <i>Biomaterials</i> 18(17):1139-1145 |
| Viitala, T. et al., "Protein immobilization to a partially cross-linked organic monolayer," (2000) <i>Langmuir</i> 16:4953-4961  |
| Wall, R.T. et al., "Human endothelial cell migration: stimulation by a released platelet factor," (1978) Lab Invest. 39(5):523-529   |
| Wang, P. et al., "Synthesis of phospholipid-inhibitor conjugates by enzymatic transphosphatidylation with phospholipase D," (1993) <i>J. Am. Chem. Soc.</i> 115:10487-10491  |
| Wasserman, Z.R. and Salemme, F.R., "A molecular dynamics investigation of the elastomeric restoring force in elastin," (1990) Biopolymers 29:1613-1631   |
| Wasserman, S.R. et al., "The structure of self-assembled monolayers of alkylsiloxanes on silicon: a comparison of results from ellipsometry and lowangle X-ray reflectivity," (1989) <i>J. Am. Chem. Soc.</i> 111:5852-5861                |
| Weber, C.J. et al., "CTLA4-Ig prolongs survival of microencapsulated neonatal porcine islet xenografts in diabetic NOD mice," (1997) <i>Cell Transplantation</i> 6(5):505-508  |
| Weber, C.J. et al., "Encapsulated islet iso-, allo-, and xenografts in diabetic NOD mice," (1995) <i>Transplantation Proceedings</i> 27:3308-3311  |
| Weber, C. et al. (1994), "NOD mouse peritoneal cellular response to poly-L-lysine-alginate microencapsulated rat islets," <i>Transplantation Proceedings</i> 26: 1116-1119   |
| Weber, C. et al. (1990), "Microencapsulated dog and rat islet xenografts into streptozotocin-diabetic and NOD mice," <i>Horm. Metab. Res.</i> 35:219-226   |
| Weber, C.I. et al. (1990), "The role of CD4* helper T cells in destruction of microencapsulated islet xenografts in NOD mice," <i>Transplantation</i> 49(2):396-404  |



|   |     | Weiner, A.L. et al., (1985), "Liposome-collagen gel matrix: A novel sustained drug delivery system," <i>J. Pharm. Sci.</i> 74(9):922-925   |
|---|-----|--|
|   |     | Welsh, E. R. and Tirrell, D. A., "Engineering the extracellular matrix: A novel approach to polymeric biomaterials. I. Control of the physical properties of artificial protein matrices designed to support adhesion of vascular endothelial cells," (2000) Biomacromolecules 1:23-30 |
|   |     | Westerduin, P. et al., "Synthesis of tailor-made glycoconjugates showing AT III-mediated inhibition of blood coagulation factors Xa and thrombin," (1996) Chem. Int. Ed. Engl. 35:331-333  |
|   |     | Westman, J. et al., "Synthesis and fibroblast growth factor binding of oligosaccharides related to heparin and heparan sulphate," (1995) J. Carbohydr. Chem. 14:95-113   |
|   |     | Wick et al., "Unusually large von Willebrand factor multimers increase adhesion of sickle erythrocytes to human endothelial cells under controlled flow," (1987)<br>J. Clin. Invest. 80:905-910  |
|   |     | Wilbur, D.S. et al., "Biotin reagents for antibody pretargeting. 4. Selection of biotin conjugates for <i>in vivo</i> application based on their dissociation rate from avidin and streptavidin," (2000) <i>Bioconjugate Chem.</i> 11:569-583  |
|   | V   | Winger, T.M. et al., "Formation and stability of complex membrane-mimetic monolayers on solid supports," (1999) <i>Langmuir</i> 15:3866-3874   |
|   |     | Winger, T.M. and Chaikof, E.L., "Synthesis and characterization of supported phospholipid monolayers: a correlative investigation by radiochemical titration and atomic force microscopy," (1998) <i>Langmuir</i> 14:4148-4155   |
|   |     | Winger, T.M. and Chaikof, E.L., "Synthesis and characterization of supported bioactive lipid membranes," In: <i>Materials Science of the Cell</i> , A. Plant and V. Vogel (Ed.), MRS Publications, Pittsburgh (1998), pp. 113-118  |
| _ |     | Winger T.M. et al., "Behavior of lipid-modified peptides in membrane-mimetic monolayers at the air/water interface," (1997) Langmuir 13:3256-3259  |
|   |     | Winger T.M. et al., "Lipopeptide conjugates: Biomolecular building blocks for receptor activating membrane-mimetic structures. (1996) <i>Biomaterials</i> 17:443-449   |
|   | ı ı | Winger, T.M. et al., "A convenient route to thiol terminated peptides for conjugation and surface functionalization strategies," (1995) <i>Bioconjug. Chem.</i> 6:323-326  |
|   |     | Winger, T.M. et al., Purification of synthetic lipopeptide conjugates by liquid chromatography," (1995) <i>J. Liquid Chromatogr.</i> 18:4117-4125  |
|   |     | Winger, T.M. et al. (1995) Biomaterials 16:443-449   |

|    | 8/                     |                       |   |  |
|----|------------------------|-----------------------|---|--|
| 20 | orm PTO 1449           |                       | Greenlee, Winner and Sullivan, P.C., 01/21/04 |  |
|    | ATTY DOCKET NO. 133-02 | SERIAL NO. 10/720,025 | FILING DATE 21 November 2003                  |  |
| Į  | APPLICANT Chaikof      |                       | GROUP   |  |

| Wong, J.S. & Yen, Y.S., "Intriguing absorption band behavior of IR reflectance spectra of silicon dioxide on silicon," (1988) Appl. Spectrosc. 42(4):598-604  |
|---|
| Wright, E.R. and Conticello, V.P., "Self-assembly of block copolymers derived from elastin-mimetic polypeptide sequences," (Oct. 2002) <i>Adv. Drug Deliv. Rev.</i> 54(8):1057-1073   |
| Wright, E.R. et al., "Thermoplastic elastomer hydrogels via self-assembly of an elastin-mimetic triblock polypeptide," (Feb. 2002) Adv. Funct. Mater. 12:149-154;   |
| Xiao, X-D et al., "Preparation, structure, and mechanical stability of alkylsilane monolayers on mica," (1995) <i>Langmuir</i> 11(5):1600-1604  |
| Yamada, K. et al., "Controlled synthesis of amphiphilic block copolymers with pendant N-acetyl-D-glucosamine residues by living cationic polymerization and their interaction with WGA lectin," (1999) Macromolecules 32:3553 |
| Yamada, K. et al., "Controlled synthesis of glycopolymers with pendant D-glucosamine residues by living cationic polymerization," (1997) <i>J. Polym. Sci. Part A: Polym. Chem.</i> 35:751-757                                |
| Yen, YS. and Wong, J. (1989) J. Phys. Chem. 93:7208-7216  |
| Yoshioko, T. et al., "Encapsulation of mammalian cell with chitosan-CMC capsule," (1990) <i>Biotechnol. Bioeng.</i> 35:66-72  |
| Yu, S.M. et al., "Smectic ordering in solutions and films of a rod-like polymer owing to monodispersity of chain length," (1997) <i>Nature</i> 389:167-170  |
| Zhang, H. et al., "Synthesis of 4% glu-containing Val <sup>1</sup> and Ile <sup>1</sup> -polypentapeptides: model protein systems for demonstrating mechanochemical coupling," (1989) <i>J. Protein Chem.</i> 8:173-182       |
| Zierler et al., "Accuracy of duplex scanning for measurement of arterial volume flow," (1992) <i>J. Vasc. Surg.</i> 16(4):520-526   |

### **EXAMINER**

### DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

12/20/89